

Prepared for:
Ursa Minor Brewing LLC
202 S 26th Ave W
Duluth, MN USA 55806

Ember- Classic Lemonade

Batch ID or Lot Number: 006-2	Test: Potency	Reported: 23Jul2024	USDA License: N/A
Matrix: Unit	Test ID: T000286801	Started: 23Jul2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Jul2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.174	0.612	ND	ND	# of Servings = 1, Sample Weight=485g
Cannabichromenic Acid (CBCA)	0.159	0.560	ND	ND	
Cannabidiol (CBD)	0.767	1.754	ND	ND	
Cannabidiolic Acid (CBDA)	0.787	1.799	ND	ND	
Cannabidivarin (CBDV)	0.181	0.415	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.328	0.750	ND	ND	
Cannabigerol (CBG)	0.099	0.348	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.412	1.453	ND	ND	
Cannabinol (CBN)	0.129	0.453	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.281	0.991	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.491	1.731	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.446	1.572	9.420	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.395	1.393	ND	ND	
Tetrahydrocannabivarin (THCV)	0.090	0.316	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.349	1.229	ND	ND	
Total Cannabinoids			9.420	0.00	
Total Potential THC			9.420	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
23Jul2024
12:22:00 PM MDT

PREPARED BY / DATE



Sam Smith
23Jul2024
12:28:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/13f7bad3-31df-4b69-841b-cf43cc7ced4f>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
13f7bad331df4b69841bcf43cc7ced4f.1