

Ursa Minor Brewing

 202 S 26th Ave W
 Duluth, MN 55806

(218) 269-0537

Sample: 2412AIT1570.3222


Strain: N/A

Batch#: 24-013; Batch Size: 500 g

Sample Received: 12/10/2024; Report Created: 12/10/2024

Ember - Blackberry Lemonade

Ingestible, Beverage



0.002%
10.9 mg/container
0.0 mg/serving

Total THC

<LOQ
<LOQ
<LOQ

Total CBD

0.002%
10.9 mg/container
0.0 mg/serving

Total Cannabinoids

Cannabinoids

Date Tested: 12/10/2024

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBD	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBG	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ9-THC	0.002	0.022	0.022	0.044	0.001
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.001

 Method: HPLC
 Total THC = THCa * 0.877 + Δ9-THC
 Total CBD = CBDa * 0.877 + CBD

 Total Cannabinoids represents the sum of all cannabinoids in the table above.
 Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
 LOQ = Limit of Quantitation

Summary

Complete

Mycotoxins

Complete

Heavy Metals

Complete

Pesticides

4150 98th Ave S

Fargo, ND

(888) 897-4367

www.hempinspection.com



John Schmidt

Analytical Chemist


 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Ursa Minor Brewing202 S 26th Ave W
Duluth, MN 55806

(218) 269-0537

Sample: 2412AIT1570.3222

Strain: N/A

Batch#: 24-013; Batch Size: 500 g

Sample Received: 12/10/2024; Report Created: 12/10/2024

Ember - Blackberry Lemonade

Ingestible, Beverage

**Mycotoxins****Complete**

Date Tested: 12/10/2024

Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB	
Aflatoxin B1	1.00	20.00	NR	NT
Aflatoxin B2	1.00	20.00	NR	NT
Aflatoxin G1	1.00	20.00	NR	NT
Aflatoxin G2	1.00	20.00	NR	NT
Ochratoxin A	1.00	20.00	NR	NT

Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com**John Schmidt**
Analytical ChemistConfident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Ursa Minor Brewing202 S 26th Ave W
Duluth, MN 55806

(218) 269-0537

Sample: 2412AIT1570.3222

Strain: N/A

Batch#: 24-013; Batch Size: 500 g

Sample Received: 12/10/2024; Report Created: 12/10/2024

Ember - Blackberry Lemonade

Ingestible, Beverage

**Heavy Metals****Complete**

Date Tested: 12/10/2024

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Arsenic	0.10	1.50	NR	NT
Cadmium	0.10	0.50	NR	NT
Lead	0.10	0.50	NR	NT
Mercury	0.10	3.00	NR	NT

Method: ICPMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com**John Schmidt****Analytical Chemist**Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Ursa Minor Brewing

 202 S 26th Ave W
 Duluth, MN 55806

(218) 269-0537

Sample: 2412AIT1570.3222

Strain: N/A

Batch#: 24-013; Batch Size: 500 g

Sample Received: 12/10/2024; Report Created: 12/10/2024

Ember - Blackberry Lemonade

Ingestible, Beverage



Pesticides

Complete

Date Tested: 12/10/2024

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.01	0.50	NR	NT
Acephate	0.01	0.40	NR	NT
Acequinocyl	0.01	2.00	NR	NT
Acetamiprid	0.01	0.20	NR	NT
Aldicarb	0.01	0.40	NR	NT
Azoxystrobin	0.01	0.20	NR	NT
Bifenazate	0.01	0.20	NR	NT
Bifenthrin	0.01	0.20	NR	NT
Boscalid	0.01	0.40	NR	NT
Carbaryl	0.01	0.20	NR	NT
Carbofuran	0.01	0.20	NR	NT
Chlorantraniliprole	0.01	0.20	NR	NT
Chlorfenapyr	0.01	1.00	NR	NT
Chlorpyrifos	0.01	0.20	NR	NT
Clofentezine	0.01	0.20	NR	NT
Cyfluthrin	0.01	1.00	NR	NT
Cypermethrin	0.01	1.00	NR	NT
Daminozide	0.01	1.00	NR	NT
DDVP	0.01	1.00	NR	NT
Diazinon	0.01	0.20	NR	NT
Dimethoate	0.01	0.20	NR	NT
Ethoprophos	0.01	0.20	NR	NT
Etofenprox	0.01	0.40	NR	NT
Etoxazole	0.01	0.20	NR	NT
Fenoxycarb	0.01	0.20	NR	NT

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


 John Schmidt
 Analytical Chemist

 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Ursa Minor Brewing

 202 S 26th Ave W
 Duluth, MN 55806

(218) 269-0537

Sample: 2412AIT1570.3222

Strain: N/A

Batch#: 24-013; Batch Size: 500 g

Sample Received: 12/10/2024; Report Created: 12/10/2024

Ember - Blackberry Lemonade

Ingestible, Beverage



Pesticides

Complete

Date Tested: 12/10/2024

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Fenpyroximate	0.01	0.40	NR	NT
Fipronil	0.01	0.40	NR	NT
Flonicamid	0.01	1.00	NR	NT
Fludioxonil	0.01	0.40	NR	NT
Hexythiazox	0.01	1.00	NR	NT
Imazalil	0.01	0.20	NR	NT
Imidacloprid	0.01	0.40	NR	NT
Kresoxim Methyl	0.01	0.40	NR	NT
Malathion	0.01	0.20	NR	NT
Metalaxyl	0.01	0.20	NR	NT
Methiocarb	0.01	0.20	NR	NT
Methomyl	0.01	0.40	NR	NT
Methyl Parathion	0.01	0.20	NR	NT
MGK-264	0.01	0.20	NR	NT
Myclobutanil	0.01	0.20	NR	NT
Naled	0.01	0.50	NR	NT
Oxamyl	0.01	1.00	NR	NT
Paclobutrazol	0.01	0.40	NR	NT
Permethrins	0.01	0.20	NR	NT
Phosmet	0.01	0.20	NR	NT
Piperonyl Butoxide	0.01	2.00	NR	NT
Prallethrin	0.01	0.20	NR	NT
Propiconazole	0.01	0.40	NR	NT
Propoxur	0.01	0.20	NR	NT
Pyrethrins	0.01	1.00	NR	NT

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
www.hempinspection.com


 John Schmidt
 Analytical Chemist

 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Ursa Minor Brewing

 202 S 26th Ave W
 Duluth, MN 55806

(218) 269-0537

Sample: 2412AIT1570.3222

Strain: N/A

Batch#: 24-013; Batch Size: 500 g

Sample Received: 12/10/2024; Report Created: 12/10/2024

Ember - Blackberry Lemonade

Ingestible, Beverage



Pesticides

Complete

Date Tested: 12/10/2024

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Pyridaben	0.01	0.20	NR	NT
Spinosad	0.01	0.20	NR	NT
Spiromesifen	0.01	0.20	NR	NT
Spirotetramat	0.01	0.20	NR	NT
Spiroxamine	0.01	0.40	NR	NT
Tebuconazole	0.01	0.40	NR	NT
Thiacloprid	0.01	0.20	NR	NT
Thiamethoxam	0.01	0.20	NR	NT
Trifloxystrobin	0.01	0.20	NR	NT

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
www.hempinspection.com


 John Schmidt
 Analytical Chemist

 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.